

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use Directions: This product is designed for use undiluted in mechanical sprayers that give particles of aerosol size.

Indoor Use as a Space Spray: Close windows and doors and shut off ventilating systems. Use a fogger or vaporizer adjusted to deliver an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns). Apply at a rate of 1 ounce per 1,000 cubic feet of space. Direct the spray toward the ceiling and upper corners of the area behind obstructions. Do not remain in treated areas. Leave the treated area closed off for at least 15 minutes. Thoroughly ventilate treated areas before re-occupying. Do not apply more than 1 time per day. Sweep up and destroy fallen insects.

This method of application kills exposed, accessible stages of Flies (including Fruit Flies), Mosquitoes, Small Flying Moths, Gnats, Wasps, Hornets, Clover Mites, Cheese Mites, Cheese Skippers, Boxelder Bugs, Earwigs, Ants and the following common stored product pests: Granary Weevils, Rice Weevils, Confused Flour Beetles, Sawtoothed Grain Beetles, Spider Beetles, Cigarette Beetles, Drugstore Beetles, Angoumois Grain Moths, Mediterranean Flour Moths, Indian Meal Moths, Tobacco Moths, Yellow Meal Worms, Dark Meal Worms, Grain Mites, Cadelles and Red Flour Beetles.

Dried Fruit Products: In storage or being processed, to kill Confused Flour Beetles, Dried Fruit Beetles, Indian Meal Moths and Sawtoothed Grain Beetles: Remove and destroy infested products. As noted above disperse this product as a fine mist in the air above the trays and shelves. Do not apply directly to fruit. Use 1 ounce per 1,000 cubic feet of space. Repeat application at this dosage in any given month. Leave the treated area closed off for at least 1 hour. Thoroughly ventilate treated areas before re-occupying. Do not apply more than 1 time per day. Sweep up and destroy fallen insects.

Stored Food: (Stored in multiwall bags or cloth bags) in warehouses, storage rooms, flour mills, grain elevators, granaries to kill Angoumois Grain Moths, Cadelles, Confused Flour Beetles, Indian Meal Moths, Mediterranean Flour Moths, Rice Weevils, Sawtoothed Grain Beetles, Yellow Meal Worms, Cheese Mites, Cheese Skippers, Cigarette Beetles, Grain Mites, Granary Weevils, Dark Meal Worms, Red Flour Beetles: Remove and destroy infested products. As noted above, disperse this product first by directing spray into corners, under pallets and around stacks of packaged foods hitting as many insects as possible and then treat as a space spray.

Fumigate or treat infested stored products by other effective methods using a product intended and approved for this purpose. Use a dosage of 1 fluid ounce per 1,000 cubic feet of space. Do not remain in treated areas and ventilate area before reentry. This application kills accessible, exposed stages of those stored product pests listed above. Leave the treated area closed off for at least 1 hour. Thoroughly ventilate treated areas before re-occupying. Do not apply more than 1 time per day. Sweep up and destroy fallen insects.

On Peanuts, Nuts, Beans (including Cocoa), Seeds and Copra (in bags or other packaging): To kill accessible stages of Almond Moths, Angoumois Grain Moths, Ants, Cadelles, Cereal Beetles, Cheese Mites, Cheeses Skippers, Chocolate Moths, Cigarette Beetles, Cockroaches, Confused Flour Beetles, Crickets, Dark Mealworms, Drugstore Beetles, Earwigs, Firebrats, Flies, Fruit Flies, Fungus Gnats, Grain Mites, Granary Weevils, Hide Beetles, Indian Meal Moths, Mediterranean Flour Moths, Mosquitoes, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Silverfish, Small Flying Moths, Spiders, Spider Beetles, Yellow Mealworms, Dried Fruit Beetles, Warehouse Beetles, Rusty Grain Beetles, Lesser Grain Beetles, Coffee Bean Weevils, Khapra Beetles and other listed insects. Apply to the surfaces of stored or bagged products. Also thoroughly spray walls, floors and other surfaces, storage and handling areas, being especially careful to treat cracks, crevices and similar hiding places. Then apply as a space spray at the rate of 1/2 to 1 ounce per 1000 cubic feet of space by directing the spray toward the ceiling and upper corners of the area and behind any obstructions.

For in-transit protection, clean and spray truck beds, boxcars and ships holds before loading. Thoroughly treat walls and floors and lightly spray each layer of stacked cartons or containers.

To kill Indian Meal Moths and Angoumois Grain Moths in stored grain, apply to the surface of binned grain at a rate of 1 gallon per 1,000 square feet. Apply at monthly intervals with the first appearance of moths and continuing until early fall. In case of severe infestation, break up webbing with rake before spraying and make a second application in two weeks.

To kill Mosquitoes, Gnats, Wasps and Skippers: Treat walls, ceilings, moldings, screens, door and window frames, beams, light cords and similar resting places.

Outdoor Ground Application: To kill Adult Mosquitoes, Gnats and Small Flying Moths: For best results, apply when there is a light breeze of approximately 5 mph and temperature is cool (75°F or less). With a ULV spraying device spray at a dosage rate of 5 ounces per minute up-wind of the area to be controlled. If the equipment is truck mounted, keep the speed to approximately 5 mph with a swath width of no more than 300 feet.

For ground-based mechanical application equipment for ULV mosquito abatement programs: Spray equipment must be adjusted so that the volume median diameter is less than 30 microns (Dv 0.5 < 30 µm) and that 90% of the spray is contained in droplets smaller than 50 microns (Dv 0.9 < 50 µm). Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rates(s) are properly calibrated.

ENTECH FOG-10

For Use Only by Trained Personnel

To kill the following listed insects if the applicator follows the directions for use as set forth in this label.

Angoumois Grain Moths, Ants, Boxelder Bugs, Cadelles, Cheese Mites, Cheese Skippers, Cigarette Beetles, Clover Mites, Confused Flour Beetles, Dark Meal Worms, Dear Flies, Dried Fruit Beetles, Drugstore Beetles, Earwigs, Fruit Flies (*Drosophila*), Fungus Gnats, Gnats, Grain Mites, Granary Weevils, Horn Flies, Hornets, Horse Flies, House Flies, Indian Meal Moths, Lice, Mediterranean Flour Moths, Mosquitoes, Mushroom Flies, Red Flour Beetles, Rice Weevils, Roaches, Sawtoothed Grain Beetles, Small Flying Moths, Spider Beetles, Stable Flies, Tobacco Moths, Wasps, Yellow Meal Worms.

Active Ingredients:

Pyrethrins	1.00%
*Piperonyl butoxide, technical	2.00%
**N-octyl bicycloheptene dicarboximide	3.33%
Other Ingredients***	93.67%
Total	100.00%

*Equivalent to 1.60% (butylcarbityl)(6-propylpiperonyl) ether and 0.40% related compounds.

**MGK® 264, Insecticide Synergist.

***Contains petroleum distillate.

MGK® - Registered trademark of McLaughlin Gormley King Co.

EPA Reg. No. 40391-10

EPA Est. No. 40391-LA-1

Keep Out of Reach of Children

CAUTION

See below panel for additional precautionary statements.

Formulated by

Entech Systems Corporation

607 Maria Street Kenner, LA 70062

(504) 469-6541

entech@msn.com

Net Contents:



1



5



20



55

Gallons

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed or absorbed through the skin. Avoid breathing vapor or spray mist. Avoid contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

First Aid

If Swallowed	<ul style="list-style-type: none"> Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
If Inhaled	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
If on Skin or Clothing	<ul style="list-style-type: none"> Take off contaminated clothing. Immediately rinse skin with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If in Eyes	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Note to Physician: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this product (including health concerns, medical emergencies or pesticide incidents), you may call the Poison Control Center at 800-222-1222.

Directions for Use (Cont'd)

Temporary Reduction of Annoyance from Flies, Mosquitoes and Small Flying Moths outdoors. The aforementioned application for outdoor ground application will afford temporary reduction of annoyance from these pests in public gathering places (drive-in restaurants, drive-in theaters, golf courses, municipalities, parks, playgrounds and recreational areas). Direct application into tall grass, shrubbery and around lawns where these pests may hover or rest. Apply while air is still. Avoid wetting foliage. Application should be made prior to attendance. Repeat as necessary.

In additional outdoor areas (corrals, feed lots, swine lots and zoos) cover water, drinking fountains and animal feed before use. Fill area with mist, directing application into tall grass, shrubbery and around lawns where these pests may hover or rest. Apply while air is still. Avoid wetting foliage. In zoos avoid exposure of reptiles to the product. Repeat as necessary.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Open dumping is prohibited.

Pesticide Storage: Store in a cool, dry place away from heat or open flame in an area that is inaccessible to children and animals. Keep container closed.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Non-refillable container. Do not reuse or refill this container. If empty: Offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

IMPORTANT: READ BEFORE USE

To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this material not in strict accordance with the directions given herewith.

Environmental Hazards

This product is toxic to aquatic organisms, including fish and invertebrates. Drift and run-off may be hazardous to aquatic organisms in water adjacent to treated areas. This product may contaminate water through run-off. This product has a potential for run-off for several months or more after application. Poorly draining soils and soils with shallow water tables are more prone to produce run-off that contains this product.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash-waters or rinsate. See Directions for Use for additional precautions and restrictions.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewer treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Physical or Chemical Hazards

Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

USE RESTRICTIONS

- Apply this product only as specified on this label.
- Do not contaminate food or feedstuffs.
- Not for use in outdoor residential misting systems.
- Do not wet plants to point of run-off or drip.
- Do not enter or allow others to enter until vapors, mists and/or aerosols have dispersed and the area has been thoroughly ventilated.
- Do not apply this product in a way that will contact adults, children or pets, either directly or through drift.
- Only protected handlers may be in the area during application.
- Do not remain in treated area. Exit area immediately and remain outside the treated area until aerosols, vapors and/or mists have dispersed.
- Do not apply directly to or near water, storm drains or drainage ditches. Do not apply when windy. To prevent product run-off, do not over water the treated area(s) or apply prior to heavy rainfall.
- Remove or cover exposed food and drinking water before application.
- Remove or cover dishes, utensils, food processing equipment and food preparation surfaces or wash them before use.
- For food stored in bags: direct application to food contact surfaces is prohibited.
- For indoor food handling/processing facilities: Do not make space spray applications when facility is in operation. Prior to space spray applications, cover or remove food. Prior to space spray applications, cover food processing surfaces or clean after treatment and before use. Do not apply more than 1 time per day.
- Remove pets, birds and cover fish aquariums before application.