

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed or inhaled. Avoid breathing spray mist. Wear mask or dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C) or a NIOSH-approved respirator with any R, P or HE filter. Avoid contact with skin, eyes or clothing. Thoroughly wash skin with soap and water after handling.

First Aid

If Swallowed	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person.
If Inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing call 911 or an ambulance then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If on Skin or Clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Immediately rinse skin with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in Eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
Note to Physician: Contains petroleum distillate - vomiting may cause aspiration pneumonia.	

Have the product container or label with you when calling a poison control center or doctor or going for treatment. [You may also call 1-800-222-1222 for emergency medical treatment advice.]

ENTECH

RESMETHRIN INSECT SPRAY

Contains Resmethrin (SBP-1382®)

An insecticide for control of flying and crawling insects in dairies, meat packing plants, food plants and storage warehouses, hospitals, hotels, restaurants, schools, homes and similar establishments with automatic or manual fogging equipment or sprayers. May be used in federally inspected meat and poultry plants.

Active Ingredient:

*+ Resmethrin	0.3%
Other Ingredients**	99.7%
Total	100.0%

* Cis/trans isomers ratio: max. 30% (±) cis and min. 70.0% (±) trans.

+ U.S. Patent Nos. 3,465,007 and 3,542,928

** Contains petroleum distillates, xylene or xylene range aromatic solvent.

KEEP OUT OF REACH OF CHILDREN
CAUTION

See side panel for additional precautionary statements.

Formulated by
Entech Systems Corporation
 607 Maria Street Kenner, LA 70062
 (504) 469-6541
 www.entech.la

EPA Reg. No. 40391-4

EPA Est. 40391-LA-1

NET CONTENTS: 1 5 30 55 GALLONS

Physical or Chemical Hazards

Keep container closed. Do not pour, use, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

Do not remain in treated areas. Thoroughly ventilate treated areas before re-entry. Remove pets, birds and cover fish aquariums before spraying. Clean up and destroy fallen insects. Resmethrin Insect Spray may be used as a pesticide for use in all areas of official establishments operating under the Federal meat, poultry, shell egg grading and egg products inspection programs.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying in meat packing plants, bakeries and other food processing plants, thoroughly wash before reuse all equipment, benches, shelves, etc., where food will be handled with an effective cleaning compound followed by a potable water rinse. In the home, cover during treatment or thoroughly wash before reuse, all food processing surfaces and utensils.

In hospitals, remove patients from rooms prior to treatment and ventilate rooms for 2 hours after spraying. Do not return patients to room until after ventilation.

Indoor Spray

For control of flies, mosquitoes and gnats in homes, hospitals, food establishments, farm buildings and warehouses. Close all windows and stop all ventilators. Extinguish pilot lights. Allow only fine mist or "dry" fog to contact fabric or surfaces that might be affected by the oil base. Direct fine mist or fog upward toward the center of the room and around the sides until the area is filled with fog or mist particles. Keep area closed for 10 to 15 minutes.

Contact and spray to kill cockroaches, confused flour and sawtoothed grain beetles, centipedes, earwigs, grain mites, sowbugs and spiders in sheltered situations. Adjust spraying device to deliver a coarse wet spray. Apply as a contact spray to hit as many insects as possible underneath refrigerators and around pallets, and in most areas around sinks and pipes. Apply to storage areas, baseboards and the inside surfaces of boxcars and trucks at a rate of 1 gallon to 1,000 sq. ft. Apply into cracks and crevices, in points between equipment and floors, equipment legs and bases, conduits, motor housings and junction or switch boxes. Prior to application, de-energize equipment. After application, allow time for oil to evaporate before starting motors or placing switches in "on" position. Apply as space spray at the rate of 1 fl. oz. per 1,000 cu. ft. of room space. Repeat dosage as necessary for control. Leave the treated area closed for 1 hour.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in original sealed container in a cool, dry area.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: *Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse or equivalent then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.*